


# 304SS LED UNDERWATER SPOT LIGHT




## HX-HUW75

Material : 304 Stainless Steel  
Power : 3W/9W  
Voltage : AC/DC 12V/24V  
Size : 75\*93mm  
Beam angle : 15°/30°/45°/60°



## HX-HUW85

Material : 304 Stainless Steel  
Power : 3W/9W  
Voltage : AC/DC 12V/24V  
Size : 85\*115mm  
Beam angle : 15°/30°/45°/60°




## HX-HUW96

Material : 304 Stainless Steel  
Power : 3W/9W  
Voltage : AC/DC 12V/24V  
Size : 96\*135mm  
Beam angle : 15°/30°/45°/60°



## HX-HUW115


Material : 304 Stainless Steel  
Power : 6W  
Voltage : AC/DC 12V/24V  
Size : 115\*170mm  
Beam angle : 15°/30°/45°/60°





## HX-HUG135

Material : 304 Stainless Steel  
 Power : 6W  
 Voltage : AC/DC 12V/24V  
 Size : 135\*157mm  
 Beam angle : 15°/30°/45°/60°




## HX-HUW145

Material : 304 Stainless Steel  
 Power : 6W/9W  
 Voltage : AC/DC 12V/24V  
 Size : 145\*85\*155mm  
 Beam angle : 15°/30°/45°/60°




## HX-HUW170

Material : 304 Stainless Steel  
 Power : 9W/12W  
 Voltage : AC/DC 12V/24V  
 Size : 170\*176mm  
 Beam angle : 15°/30°/45°/60°





## HX-HUW190

Material : 304 Stainless Steel  
 Power : 12W/15W  
 Voltage : AC/DC 12V/24V  
 Size : 190\*197mm  
 Beam angle : 15°/30°/45°/60°



## The product installation



# 316SS LED UNDERWATER SPOT LIGHT



**HX-HUW61-SS**  
**Voltage:** DC12/24V  
**Power:** 1\*2W/1\*3W  
**Dimension:** 61x132x70mm  
**Material:** 316SS  
**Beam angle:** 15/30/45/60°



**HX-HUW90-SS**  
**Voltage:** DC12/24V  
**Power:** 3\*2W/3\*3W  
**Dimension:** 90x38x161mm  
**Material:** 316SS  
**Beam angle:** 15/30/45/60°



**HX-HUW113-6W/9WSS**  
**Voltage:** DC12/24V  
**Power:** 1\*6W/3\*2W/3\*3W  
**Dimension:** 64x38x113mm  
**Material:** 316SS  
**Beam angle:** 15/30/45/60°



**HX-HUW130A-12/18/24WSS**  
**Voltage:** DC12/24V  
**Power:** 6\*2W/6\*3W/6\*4W  
**Dimension:** 130x38x225mm  
**Material:** 316SS  
**Beam angle:** 15/30/45/60°



# 316SS LED UNDERWATER SPOT LIGHT

HX-HUW130B-18/24WSS

Voltage:DC12/24V

Power: 9\*2W/9\*2.5W

Dimension:130x38x225mm

Material: 316SS

Beam angle:15/30/45/60°



HX-HUW158-24/36/48WSS

Voltage: DC12/24V

Power: 1\*2W/1\*3W

Dimension: 61x132x70mm

Material: 316SS

Beam angle: 15/30/45/60°



HX-HUW152-12W/18WSS


Voltage: DC24V

Power: 6\*2W/6\*3W/9\*2W

Dimension: 152x89x146mm

Material: 304SS

Beam angle: 15/30/45/60°



# 316SS LED FOUNTAIN LIGHT


HX-HFL115-12W/18W/24WSS  
 Voltage:DC24V  
 Power: 6\*2W/6\*3W/6\*4W  
 Dimension:115x32mm  
 Material: 316SS  
 Beam angle:15/30/45/60°




HX-HFL170-18W/27W/36WSS  
 Voltage:DC24V  
 Power: 9\*2W/9\*3W/9\*4W  
 Dimension:170x60mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



HX-HFL149-18W/27W/36WSS  
 Voltage:DC24V  
 Power: 9\*2W/9\*3W/9\*4W  
 Dimension:149x61.5mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



HX-HFL160-18W/27WSS  
 Voltage:DC24V  
 Power: 9\*2W/9\*3W  
 Dimension:160x35mm  
 Material: 304SS  
 Beam angle:15/30/45/60°




HX-HFL182A-18W/27W/36WSS  
 Voltage:DC24V  
 Power: 9\*2W/9\*3W/9\*4W  
 Dimension:182x65mm  
 Material: 316SS  
 Beam angle:15/30/45/60°

HX-HFL182B-24W/36WSS  
 Voltage:DC24V  
 Power: 12\*2W/12\*3W  
 Dimension:182x65mm  
 Material: 316SS  
 Beam angle:15/30/45/60°


HX-HFL200A-18W/27W/36WSS  
 Voltage:DC24V  
 Power: 9\*2W/9\*3W/9\*4W  
 Dimension:200x65mm  
 Material: 316SS  
 Beam angle:15/30/45/60°

HX-HFL200B-24W/36WSS  
 Voltage:DC24V  
 Power: 12\*2W/12\*3W  
 Dimension:200x65mm  
 Material: 316SS  
 Beam angle:15/30/45/60°


# 304SS RECESSED LED UNDERWATER LIGHT



HX-HUG42



HX-HUG52



HX-HUG62

MODEL NO.	WATTAGE	LED QTY	LED TYPE	COLOR	VOLTAGE	MATERIAL	IP GRADE
HX-HUG42-1W	1W	1PCS	High Power LED	Warm White White Red Green Blue Yellow RGB	AC 12V DC 12V/24V	304&316 Stainless Steel	IP68
HX-HUG52-1W	1W						
HX-HUG62-3W	1W/3W						

# 316SS RECESSED LED UNDERWATER LIGHT



HX-HUG38-2WSS  
Voltage:DC12/24V  
Power: 1\*1.5W  
Dimension: 38x83mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG55-3/4WSS  
Voltage: DC12/24V  
Power: 1\*3W/1\*4W  
Dimension: 55x115mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG68-3WSS  
Voltage:DC12/24V  
Power: 1\*3W  
Dimension:67.5x72.5mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG118-9/12WSS  
Voltage:DC12/24V  
Power: 3\*3W/3\*4W  
Dimension:118x118mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG162-18/24WSS  
Voltage:DC24V  
Power: 6\*3W/6\*4W/9\*3W  
Dimension:162x95mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG185-36W/48WSS  
Voltage:DC24V  
Power: 12\*3W/12\*4W  
Dimension:185x120mm  
Material: 316SS  
Beam angle:15/30/45/60°



HX-HUG250C-54WSS  
Voltage:DC24V  
Power: 36\*1.5W  
Dimension:250x126mm  
Material: 316SS  
Beam angle:15/30/45/60°

# 316SS RECESSED LED UNDERWATER LIGHT

HX-HUG135B-12W/16WSS

Voltage:DC24V

Power: 4\*3W/4\*4W

Dimension: 135x120mm

Material: 316SS

Beam angle:15/30/35/45/60°

HX-HUG180-18W/24WSS

Voltage:DC24V

Power: 6\*3W/6\*4W

Dimension: 180x120mm

Material: 316SS

Beam angle:15/30/45/60°

HX-RUG195-6W/9WSS



Voltage:DC24V

Power: 3\*3W

Dimension: 195x65x90mm

Material: 316SS

Beam angle:15/30/45/60°



HX-HUG205B-36W/48WSS

Voltage:DC24V

Power: 12\*3W/12\*4W

Dimension: 205x126mm

Material: 316SS

Beam angle:15/30/35/45/60°

HX-HUG250B-54W/72WSS

Voltage:DC24V

Power: 18\*3W/18\*4W

Dimension: 250x126mm

Material: 316SS

Beam angle:15/30/35/45/60°

HX-HUG328-12W/18WSS

Voltage:DC24V

Power: 6\*3W


Dimension: 328x65x90mm

Material: 316SS


Beam angle:35/45°




# 316SS RECESSED LED UNDERWATER LIGHT




**HXG115-1\*8WSS**  
 Voltage:DC24V  
 Power: 1\*8W  
 Dimension: 115x117mm  
 Material: 316SS  
 Beam angle:15/30/45/60°




**HXG115-3\*2WSS**  
 Voltage: DC24V  
 Power: 3\*2W  
 Dimension: 115x117mm  
 Material: 316SS  
 Beam angle:15/30/45/60°




**HXG145-1\*20WSS**  
 Voltage:DC24V  
 Power: 1\*15W  
 Dimension:145x138mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



**HXG145-6\*2WSS**  
 Voltage:DC24V  
 Power: 6\*2W  
 Dimension:145x138mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



**HXG158-9/12WSS**  
 Voltage:DC24V  
 Power: 3\*3W/3\*4W  
 Dimension:170x145mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



**HXG170-12\*2WSS**  
 Voltage:DC24V  
 Power: 12\*2W  
 Dimension:170x145mm  
 Material: 316SS  
 Beam angle:15/30/45/60°



# CONTROLLER AND LED TRANSFORMER

1. REMOTE SWITCH



5. POWER CARRIER CONTROL



9. POWER AMPLIFIER



2. 18KEYS REMOTE CONTROL



6. RF 201 EXTERNAL CONTROLLER



10. LED POWER SUPPLY



3. 4KEYS REMOTE CONTROL



7. WIFI CONTROLLER



4. RGBW CONTROLLER



8. DMX512CONTROLLER



11. DC TRANSFORMER

